

TOTAL WALL PRODUCT INDEX

The Total Wall Product Index is a brief alphabetical listing of our core product line. To keep the index simple to use, some specialty products, accessories and ancillary items do not appear on the index. The index is updated regularly. Please contact Total Wall for questions on specialty products or to see if your product index is current. Please refer to the date code in the lower left corner.

1. **Accessories-PVC** Plastic accessories for Hard Coat Stucco and EIFS are available in 8' or 10' lengths. Accessories include stops, weeps, corner bead and control joint.
2. **Architectural Shapes** Available with only base coat or fully finished; shapes include arches, quoins, moldings and signs.
3. **Blue Mastic** A 100% acrylic adhesive for bonding polystyrene and other rigid insulation materials to wood, masonry, cement board, and gypsum sheathings; available in 5-gallon pails.
4. **Blue Mastic #11** A 100% acrylic adhesive for bonding all rigid and semi-rigid insulation materials to wood sheathing, masonry, and gypsum sheathings; available in quart tubes for use with one-quart caulking guns.
5. **Classic Textured Finish** A high-quality, trowel grade, pre-colored, pre-textured coating material with a high degree of elongation, which provides a flat finish; and formulated with pigments and resins exceeding all industry standards for performance and durability. Available in Swirl Textures.
6. **Clear Mastic #11** A water based, 100% acrylic compound designed to be used as both an adhesive and a sealant. Available in quart tubes and in 2-gallon pails.
7. **EZ Base NCB** A premixed, ready-to-use base coat and adhesive for the soft coat Exterior Insulated and Finish System.
8. **Fasteners** Pre-assembled mechanical fasteners used for all rigid insulation systems installed over frame or concrete.
9. **FlexCoat** A pre-mixed, pre-colored 100% acrylic brush-on coating for foundation insulation.
10. **Foam N' Base Coat and Adhesive** A 100% acrylic emulsion blend designed to be mixed with Portland cement in a 1:1 ratio by weight; produces an adhesive for bonding rigid polystyrene insulation board and the base coating to embed reinforcing fabric over the face of the board.
11. **Foundation Coating Kit** The original Portland cement based brush on kit for coating exterior rigid foundation insulation.
12. **Gemstone Synthetic Finish** A high-quality, trowel grade, pre-textured coating material with colored ceramic-coated aggregate providing a marble-like finish.
13. **Glaze 2000** A high solids 100% acrylic emulsion used as a protective clear coat over a variety of substrates.
14. **Journeyman Acrylic Finish** A high-quality, trowel grade, pre-colored, pre-textured, and siliconized coating material providing a flat finish and designed to maximize production for the craftsman.

TOTAL WALL PRODUCT INDEX

15. **Journeyman Foam N' Base Coat and Adhesive** A 100% acrylic emulsion mixed with Portland cement in a 1:1 ratio by weight to produce an adhesive and the base coating to embed reinforcing fabric over the face of EPS board. Designed for maximum production.
16. **Journeyman T-2000 Soft Coat Base and Adhesive** A dry powder to which water is added to produce the adhesive and base coat for the soft coat Exterior Insulated and Finish System; designed to maximize job production.
17. **Knife Grade Lastic** A high-quality elastomeric grade putty used for filling and sealing small cracks, pocks, or voids ahead of a coating application.
18. **Lath** PVC lath is available in sheets or rolls. Metal lath is available by special order only.
19. **Liquid Acrylic Additive** A high solids 100% acrylic emulsion used as an admixture and bonding agent for cement based materials.
20. **Moisture Barrier** Tyvek StuccoWrap or RainDrop HouseWrap sheet-applied moisture barriers are available in various width rolls, and Total Stop RA liquid-applied moisture barrier is available in 5-gallon pails.
21. **One Coat Hard Coat PM** A polymer modified and fiber reinforced Portland cement-based coating designed as a base coat for type PM exterior insulated and finish systems and for service over polystyrene foam insulation.
22. **Panels** Custom exterior panels are available in practically any size, shape and construction from EIFS panels to foundation insulation panels.
23. **Plastain** A two-part water-based acrylic stain and sealer for synthetic finishes, masonry, or painted surfaces. Can be used to create an antiqued, mottled or faux effect in a variety of colors. Works very well over Plastone.
24. **Plastone** A fine synthetic plaster for interior or exterior use over masonry, painted surfaces or drywall. Can be tinted to a color or stained with Plastain.
25. **Premium Fibered Stucco Finish** A dry mix of Portland cement, micro-fibers, graded aggregates, and specialty modifiers, used as either a standard stucco or finish coat material.
26. **Premium Fibered Stucco, Concentrate** An equivalent for Total Wall Premium Fibered Stucco that requires both sand and water to be added at the job site.
27. **Premium Fibered Stucco, Pre-sanded** Highest quality dry mix of Portland cement, fiberglass strand reinforcement, micro-fibers for added strength, graded aggregates, and specialty modifiers, designed for use as standard or one coat, hi-lift stucco. Needs only water to be added.
28. **Premium Textured Synthetic Finish** A high-quality, trowel grade, pre-colored, pre-textured coating material providing an eggshell finish and elongation capable of handling a high degree of thermal movement and bridging of hairline cracks.
29. **Reinforcing Meshes** Fabrics woven from bundled fiberglass strands and coated with alkali resistant polymer; designed to add strength, flexibility, and impact and crack resistance to all Exterior Insulated and Finish Systems and Direct Applied coating systems.
30. **Renaissance Plaster** A quality, trowel-applied synthetic Venetian plaster for interior or exterior application over a smooth plaster base.

TOTAL WALL PRODUCT INDEX

31. **SL Gold Base Coat** A dry powder designed to be mixed with water to produce the base coat for the Total Wall SL Gold Exterior Insulated and Finish System, a class PM EIFS.
32. **Stucco Bond** A liquid bonding primer for raw masonry surfaces; used ahead of Portland cement stucco applications (e.g., Total One Coat or Premium Fibered Stucco). Allows up to 24 hours prior to stucco application.
33. **T-2000 Soft Coat Base Coat and Adhesive** A dry powder to which water is added to produce the base coat and adhesive for the soft coat Exterior Insulated and Finish System (EIFS) and Direct Applied systems.
34. **T-Wall Bond** A fiber-reinforced, Portland cement based surface bonding material that can be applied directly over raw masonry surfaces.
35. **T-Wall Lastic** A high quality elastomeric coating that provides an attractive, waterproof finish with the ability to bridge old cracks in various substrates. Available in both smooth and textured versions.
36. **T-Wall Lastic Premier (500%)** Highest elongation elastomeric coating that provides an attractive, waterproof finish with the ability to bridge both old and new cracks in various substrates. Available in both smooth and textured versions.
37. **Total Guard BWB (Bulk Water Barrier)** A two-part, trowel-applied or brush-applied coating designed to waterproof and protect ICF (insulated concrete form) foundations, other polystyrene surfaces, or raw masonry surfaces that may experience temporary ponded water conditions, high moisture exposure, or direct water run-off.
38. **Total One Coat Stucco Concentrate** A dry mix of Portland cement, fiberglass reinforcement, special aggregates, and specialty modifiers, designed to be a hi-lift stucco as above, but requires the addition of both sand and water at the job site.
39. **Total One Coat Stucco, Pre-sanded** A dry mix of Portland cement, fiberglass reinforcement, special aggregates, and specialty modifiers, and designed to be a hi-lift stucco capable of thicknesses from 1/4" to 1 1/2" using multiple passes. This product requires only the addition of water at the job site.
40. **Total Stop RA** A ready-to-use, rubberized product that produces a weather resistive barrier for sheathings over which EIFS (Exterior Insulated and Finish Systems) and other exterior lamina will be applied.
41. **Total Tex** An interior wall coating that provides priming, texture, and color all in one durable material. Available in flat (standard), satin, and semi-gloss finishes, Total Tex may be sprayed, rolled or troweled onto the substrate.
42. **Total Tex Primer** An optional prime coating for use ahead of Total Tex.
43. **Tuff II** A very versatile full-synthetic, all acrylic pre-mixed coating that may be used as a base and/or finish material over ICF construction, polystyrene foundation insulation applications as well as over raw or painted masonry surfaces.